

## LOXIA CUCULLATA.



*Rostrum* conico-gibbum, frontis basi rotundatum  
versus caput: *Mandibula* inferior margine  
lateralis inflexa.

*Nares* in basi rostri.

*Lingua* integra.

*Lin. Syst. Nat.* p. 299.

### CHARACTER SPECIFICUS, &c.

LOXIA cinerea subtus alba, capite cristato gula-  
que coccineis.

## LOXIA CUCULLATA.

*Lath. ind. orn.* p. 378.

## LOXIA Dominicana. β.

*Lin. Syst. Nat. Gmel.* p. 848.

---

Cum Loxiæ Dominicanæ varietas olim habita sit perelegans hæc avis, consensum est inter physicos ut ab illa separari et species omnino diversa haberit debeat. Loxiam Dominicanam paululum magnitudine superans Brasiliam incolit. Iconem pulchre expressam continent Milleri et Buffoni opera, quorum alteri titulus *Cimelia Physica*, alteri *Planches enluminées*. Depingitur in tabula nostra magnitudo avis tertia fere parte diminuta.







London. Published June 1818 by J. P. Voldor. Newgate Street.

THE  
CRESTED DOMINICAN CARDINAL.



*GENERIC CHARACTER.*

*Bill* strong, convex above and below, very thick at the base.

*Nostrils* small and round.

*Tongue* generally truncated at the tip.

*SPECIFIC CHARACTER, &c.*

Ash-coloured crested Grosbeak, white beneath, with crimson head and throat.

CRESTED CARDINAL.

*Brown's illust. of zool.* pl. 23.  
*Miller's plates,* 22.

Le CARDINAL DOMINIQUAIN.

*Planches Enluminees,* 103.

CRESTED DOMINICAN Grosbeak.

*Latb. syn. 3. p. 123. A.*

---

This elegant bird is now allowed to constitute a distinct species from the *Loxia Dominicana*, of which it was once considered as a variety. It has been beautifully figured in Mr. Miller's work entitled *Cimelia Physica* as well as in the *Planches Enluminees*.

*minees.* In size it somewhat exceeds the *Loxia Dominicana*, and is a native of Brazil. The plate represents it about a third part less than the natural size.